

TECHNICAL DATA SHEET

Ubuntu Floor Degreaser

1. Product Description

Ubuntu Floor Degreaser is a heavy-duty, industrial-strength degreaser specially formulated for cleaning floors heavily soiled with grease, oil, and grime. It effectively breaks down stubborn residues and lifts them from concrete, tiles, workshop floors, garage bays, factory floors, and other hard surfaces, leaving a clean, residue-free finish.

2. Applications

- Degreasing and cleaning workshop and factory floors
- Removing oil, grease, tar, and other heavy soilings from concrete and tiled surfaces
- Suitable for automotive workshops, factories, warehouses, garages, and industrial kitchens
- Can be used on floors, ramps, loading bays, and other hard surfaces

3. Product Features

- Powerful grease-cutting formula
- Fast-acting and easy to rinse

- Non-corrosive to concrete and most hard surfaces
- Biodegradable and environmentally friendly components
- Suitable for use with mops, brushes, and automatic floor scrubbers
- Leaves no slippery residue when used as directed

4. Typical Properties

Property	Specification
Appearance	Clear to slightly amber liquid
Colour	Pale yellow to amber
Fragrance	Mild citrus or neutral
pH (neat)	11.0 – 13.0
Density (25°C)	1.02 – 1.07 g/cm ³
Solubility	Fully soluble in water



062 352 2368



thulekafactory@gmail.com



50 robyn street,
Jukskeipark



TECHNICAL DATA SHEET

5. Directions for Use

- Dilute 1:10 to 1:20 with water depending on the level of soiling.
- Apply solution to the floor using mop, brush, or automatic scrubber.
- Allow 5–10 minutes dwell time for heavy soils.
- Agitate with brush or scrubbing machine if necessary.
- Rinse thoroughly with clean water.
- For extremely heavy deposits, use product neat or at lower dilution (up to 1:5).

6. Storage & Handling

- Store in a cool, dry place away from direct sunlight and freezing temperatures.
- Keep container tightly closed when not in use.
- Avoid mixing with acids or other incompatible chemicals.
- Use appropriate PPE such as gloves and eye protection when handling.
- Keep out of reach of children.

7. Packaging

Available in:

- 5L, 25L, and 200L containers
- Custom packaging available on request

8. Safety & First Aid

- Avoid contact with skin and eyes.
- In case of skin contact, wash with plenty of water.
- In case of eye contact, rinse immediately with water for at least 15 minutes and seek medical advice.
- If ingested, do not induce vomiting and seek immediate medical attention.



062 352 2368



thulekafactory@gmail.com



50 robyn street,
Jukskeipark



TECHNICAL DATA SHEET



062 352 2368



thulekafactory@gmail.com



50 robyn street,
Jukskeipark